



1 - Identification

Product Name Salicylic Acid

Product Number

 Index No.
 607-732-00-5

 CAS-No.
 69-72-7

Identified Uses Laboratory chemicals, Synthesis of substances

Address Ingredients To Die For, 11110 Metric Bvd, Ste D, Austin, TX 78758

Phone 512-535-2711

Emergency Phone Chemtrec Emergency Hotline: 800-424-9300 (US and Canada)

2 - Hazard(s) Identification

Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 4), H302 Serious eye damage (Category 1), H318 Reproductive toxicity (Category 2), H361

For the full text of the H-Statements mentioned in this Section, see Section 16.

GHS Label elements, including precautionary statements

Pictogram

Signal Word Danger

Hazard statement(s)

H302 Harmful if swallowed.
H318 Causes serious eye damage.

H361 Suspected of damaging fertility or the unborn child.

Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.

P305 + P351 + P338 + P310

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do so. Continue rinsing. Immediately call a POISON CENTER/doctor.





P308 + P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC)

or not covered by GHS

None

3 - Composition/Information on Ingredients

Substances

Synonyms 2-Hydroxybenzoic acid

 Formula
 C7H6O3

 Molecular weight
 138.12 g/mol

 CAS-No.
 69-72-7

 EC-No.
 200-712-3

 Index-No.
 607-732-00-5

Component Classification Concentration

Salicylic Acid Acute Tox. 4; Eye Dam. 1; Repr. 2; H302, H318, H361 <= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

4 - First-Aid Measures

Description of first-aid measures

General advice Show this material safety data sheet to the doctor in attendance.

If inhaled After inhalation: fresh air. Call in physician.

In case of skin contact

Take off immediately all contaminated clothing. Rinse skin with water/shower. Consult a physician.

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact In case of eye contact

lenses.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

If swallowed

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labeling (see section 2.2) and/or in section 11.

Indication of any immediate medical attention and special treatment needed

No data available



5 - Fire-Fighting Measures

Extinguishing media

Special hazards arising from the substance or mixture

Carbon oxides.

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapors possible in the event of fire.

Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area,

Environmental precautions Do not let product enter drains.

Methods and materials for containment Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7

and cleaning up and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

Reference to other sections For disposal see section 13.

7 - Handling and Storage

Precautions for safe handling For precautions see section 2.2.

Conditions for safe storage, including any incompatibilities

Storage conditions Tightly closed. Dry. Light sensitive.

Storage class (TRGS 510): 11: Combustible Solids

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

Specific end use(s)



8 - Exposure Controls/Personal Protection

Control parameters

Ingredients with workplace control param Contains no substances with occupational exposure limit values.

Exposure controls

Appropriate engineering controls

Change contaminated clothing. Preventative skin protection recommended. Wash hands after working

with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as

NIOSH (US) or EN 166 (EU). Tightly fitting safety goggles.

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin

Body protection

Protective clothing

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use for a full-face particle respirator type N100 (US) or type P3 (EN 143)

Control of environmental exposure

Do not let product enter drains.



9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance Form: powder, crystalline; Color: white

Odor odorless
Odor threshold Not applicable
2.4 at 20 C (68 F)

Melting point/freezing point Melting point/range: 158 – 161 C (316 – 322 F) – lit.

Initial boiling point and boiling range 211 C (412 F) at 27 hPa

211 C (412 F) - lit.

Flash point 157 C (315 F) – closed cup

Evaporation rate No data available Flammability (solid, gas) No data available

Upper/lower flammability or explosive limi Lower explosion limit: 1.1 % (V)

Vapor pressure1 hPa at 114 C (237 F)Vapor densityNo data available

Density 1.44 g/cm3 at 20 C (68 F)

Relative density No data available Water solubility No data available

Partition coefficient n-octanol/water log Pow: 2.25 at 25 C (77 F) – Bioaccumulation is not expected.

 Autoignition temperature
 No data available

 Decomposition temperature
 No data available

 viscosity
 No data available

 Explosive properties
 No data available

Oxidizing properties None

Other safety information No data available



10 - Stability and Reactivity

Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

The product is chemically stable under standard ambient conditions (room temperature).

Chemical stability

Possibility of hazardous reactions

Risk of ignition or formation of inflammable

gases or vapors with:

Flourine; Iodine

Violent reactions possible with: Strong oxidizing agents; Iron/iron-containing compounds

Conditions to avoid Light; Strong heating.

Incompatible materials No data available

Hazardous decomposition products In the event of fire: see section 5.



11 - Toxicological Information

Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - Male - 891 mg/kg (OECD Test Guideline 401)

Oral: Behavioral-Muscle weakness. Inhalation: No data available.

LD50 Dermal – Rat – Male and Female - > 2.000 mg/kg (OECD Test Guideline 402)

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Risk of serious damage to eyes. (Draize Test)

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Test Type: In vitro mammalian cell gene mutation test

Test System: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: Negative

Test Type: Chromosome aberration test in vitro Test System: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: Negative
Test Type: Ames test

Test System: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: Negative

Test Type: Chromosome aberration test

Species: Mouse

Cell type: Bone marrow

Application Route: Intraperitoneal Method: OECD Test Guideline 475

Result: Negative





Test Type: Sister chromatid exchange assay

Species: Mouse

Cell type: Bone marrow Application Route: Oral Method: US-EPA Result: Negative Carcinogenicity

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, IARC

possible or confirmed human carcinogen by IARC.

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or NTP

anticipated carcinogen by NTP.

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of OSHA

regulated carcinogens.

Reproductive toxicity Suspected of damaging the unborn child

Specific target organ toxicity – single exp No data available

Specific target organ toxicity – multiple ex No data available

Aspiration hazard

No data available

Additional information

Repeated dose toxicity - Rat - male and female - Oral - 2 yr - NOAEL (No observed adverse effect level) - 50 mg/kg

Remarks: (in analogy to similar products)

(ECHA)

The value is given in analogy to the following substances: methyl salicylate

RTECS: VO0525000

Cough, Shortness of breath, Headache, Nausea, Vomiting

Mild chronic salicylate intoxication is termed salicylism. Symptoms include: headache, dizziness, ringing in the ears, difficulty in hearing, dimness of

To the best of our knowledge, the chemical, physical and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence

marked alterations in acid-base balance.



12 - Ecological Information

Toxicity

Toxicity to fish

Flow-through test LC50 – Pimephales promelas (fathead minnow) – 1,370 mg/l – 96 h (OECD Test

Guideline 203)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: Sodium salicylate

Toxicity to daphnia and other aquatic

invertebrates

Toxicity to algae

Static test EC50 – Daphnia magna (Water flea) – 870 mg/l – 48 h (OECD Test Guideline 202)

Growth inhibition ErC50 – Desmodesmus subspicatus (green algae) - > 100 mg/l – 72 h (OECD Test

Guideline 201)

Toxicity to daphnia and other aquatic Static test EC50 – Pseudomonas putida – 380 mg/l – 16 h

Remarks: (ECHA) The value given is in analogy to the following substances: methyl salicylate.

Persistence and degradability

Biodegradability Aerobic – Exposure time 4 d

Result: > 90 % - Inherently biodegradable (Regulation (EC) No. 440/2008, Annex, C.9)

Bioaccumulative potential No data available

Mobility in soil No data available

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

Endocrine disrupting properties No data available
Other adverse effects No data available

13 - Disposal Considerations

Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.



14 - Transport Information

DOT (US) Not dangerous goods **IMDG** Not dangerous goods IATA Not dangerous goods

Further information Not classified as dangerous in the meaning of transport regulations.

15 - Regulatory Information

This material does not contain any components with a section 302 EHS TPQ. SARA 302 Components

This material does not contain any chemical components with known CAS numbers that exceed the **SARA 313 Components**

threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards Acute Health Hazard. Chronic Health Hazard

Massachusetts Right To Know Componen No components are subject to the Massachusetts Right To Know Act.

16 - Other Information

Further information

Revision Date: 09/06/22 **Print Date:** 03/04/23

DISCLAIMER

Technical information and suggestions for use including any formulations and / or procedures are believed to be correct. However this does not constitute a quarantee of the accuracy of the information contained herein and confirming tests in your own laboratory or facility are recommended.

No statement or suggestion of use should be construed as a recommendation or inducement to violate any patent rights and no patent liability may be assumed.

The information contained in this Certificate of Analysis and Material Safety Data Sheet are obtained from current and reliable sources. As the ordinary or otherwise use(s) of this product is outside the control of Ingredients To Die For, no representation or warranty, expressed or implied is made as to the effect(s)of such use(s) (including damage or injury), or the results obtained.

Ingredients To Die For expressly disclaims responsibility as to the ordinary or otherwise use(s). Furthermore, Ingredients To Die For as to the fitness for any use should consider nothing contained herein as a recommendation. The liability of Ingredients To Die For is limited to the value of the goods and does not include any consequential loss.